

www.stevenmooneymachinery.co.uk

3rd December 2023

This is our latest stock list. Please contact us if there is any machine of interest or if you require any additional information on machines. You may contact us via telephone, Email or fax. We look forward to doing business with your company.

CNC LATHES (INC DRIVEN, VERTICAL SPINDLE AND SUB-SPINDLE LATHES)

3804	<u>XYZ XL780 x 3 Metre Gap Bed CNC Lathe</u> XYZ XL780 x 3 Metre Gap Bed CNC Lathe, 2015, s/n SLN10108, Siemens 828D Control, Swing over bed 780mm, Swing in gap 1,090mm, gap in front of faceplate 157mm, Swing over cross slides 535mm, Cross slide travel 430mm, Distance between centres 3,000mm, Mazimum cutting length 2,900mm, Spindle bore 160mm, Spindle power 30kw (40hp), Spindle speed 20 to 1,300mm – 2 ranges, Tailstock, Footprint 5,400 x 2,200 x 2,020mm tall, weight 8,600ks.	Call for Price
4235	<u>XYZ Proturn SLX355</u> XYZ Proturn SLX355, 2011, Ser SL275, swing over bed 360mm, distance between centres 1000mm, spindle speed 50-4,000, 2 ranges, spindle bore 52mm, 3 Jaw Chuck, Paret QCTP and Holders, Traking, Options – Advanced features, network, TRAKing, Advanced Features With Verify	Call for Price
3877	<u>XYZ Proturn SLX1630</u> XYZ Proturn SLX1630, 2007, s/n16P/602-028, 3 jaw chuck, qctp and holders, swing over bed 400mm, swing over cross slide 218mm, distance between centres 760mm, spindle bore 54mm, 2500rpm, 5.75kw. Control options – TBC.	Call for Price
4188	<u>XYZ 250TC</u> XYZ 250TC, 2012, s/n LH08001, Siemens 810D Shop Turn Control, 10" power chuck, tailstock, swarf conveyor, Pendant, tool setter, 12 stn vdi 40 turret, 250mm turning dia, 650mm max turned length, bar cap 77mm, 3500rpm, 17/22.5kw. Link to Video:- https://youtu.be/ospYLwO3J7I & https://youtu.be/khB_yOLqOUw	Call for Price
4076	<u>XYZ Proturn SLX555 x 1.75m</u> XYZ Proturn SLX555 x 1.75m, 2011, s/n 7983, 315mm 3 jaw chuck, qctp & holders, tailstock, centres 1750mm, swing over bed 560mm, in gap 780mm, spindle bore 104mm, 11kw.	Call for Price
4305	<u>Colchester Tornado T8M</u> Colchester Tornado T8M, Driv Tool, 2013, s/n W8B303, Fanuc 21iTD Control, Collet chuck, 17 off collets, 3-Jaw chuck, bar cap 65mm, 2 off radial driv holders, 2 off axial driven holders, 12 stn turret, VDI 40 Tooling, parts catcher, no tailstock, 290mm turn dia x 490mm length, 3,500rpm, 22kw.	Call for Price

For more information on these products please call one of our experts on: **+44 (0)1444 245414** and quote the four digit product reference code.

4103	<u>Mazak QTN Nexus 200M</u> Mazak QTN Nexus 200M 2006, s/n186863, Mazak Mazatrol 640T Nexus Control, Driven Tooling, 200mm chuck, turning dia 350 mm, turning length 512mm, bar cap 65mm, 12 stn turret, Tailstock, tool setter. No Swarf Conveyor, Options – Background Path Check, Synchro Mill Tapping, Hours Power on 4,368, Auto cut 3,034 hrs.	Call for Price
4288	<u>XYZ Protturn SLX1630</u> XYZ Protturn SLX1630, 2011, s/n 16P9905-043, 3 jaw chuck, 4-way toolpost, swing over bed 400mm, swing over cross slide 218mm, distance between centres 760mm, spindle bore 54mm, 2500rpm, 5.75kw. Control options – Advanced Features, Network, TRAKing. Footprint 2,090 x 1,200 x 1,800mm high, Weight 1,550kgs.	Call for Price
3979	<u>XYZ CT52LTY</u> XYZ CT52LTY, 2016, s/n STP10166, Siemens 828D Control, 200mm chuck parts catcher, toolsetter, 12 stn vdi30 turret, tailstock, swarf conveyor, 2 off live toolholder, 10 off static holders. Turning dia 220mm, turn length 490mm, bar cap 52mm, 4500pm	Call for Price
4192	<u>XYZ TC320LTY</u> XYZ TC320LTY, 2021, s/n STN20111, Siemens 828D, Driven Tool, Y-Axis, 320mm turn dia, 550mm turn length, bar cap 78mm, 32kw, vdi40 12 stn turret, 315mm chuck, toolsetter, Parts catcher, swarf conveyor.	Call for Price
4091	<u>Mazak Quick Turn Smart 200M x 500</u> Mazak Quick Turn Smart 200M x 500, 2015, Ser No 266508, C-axis driven tool, Kitagawa BB208 200mm chuck, toolsetter, NO TAILSTOCK, 12 stn turret, 2 driven toolholder, static toolholders, 360mm max turning dia, 532mm max turning length, 66mm bar capacity. Options – EIA, Spiral, EIA3D Comp, Rotation, Geometric, Thread, Polar Coordinates Input, Comparison Stop, G54.1, Sync.Mill Tapping, Variable 600 Sets, Pitch error Comp, Hours Power On 4,771, Auto Ope 2,610, Auto Cut 1,887hrs	Call for Price
4303	<u>Haas TL-1CE CNC/Manual Toolroom Lathe</u> Haas TL-1CE CNC/Manual Toolroom Lathe, 2008, s/n3082183, swing over front apron 406mm,swing over cross slide 241mm, Distance between centres 762mm, spindle bore 59mm, 2000rpm, 7.5hp, c/w collet chuck, Haas quick change t toolpost & 5 holders, guarding, Machine Manuals	Call for Price
4293	<u>Hardinge GS150 CNC Lathe</u> Hardinge GS150 CNC Lathe, 2011, s/n BLAB1H0042, Fanuc Oi-TD Control, Max turning dia 284mm, Max swing 457mm dia, 56mm dia bore, 45mm max feed dia, A2-5 spindle, 6" dia chuck, 6,000RPM, 12 station VDI Turret, Complete with VDI holders, collet chuck. Machine dims 1,998 x 1,818, 1,781mm high, 2,700kgs. No tailstock, no Swarf conveyor	Call for Price
4083	<u>XYZ Protturn SLX1630</u> XYZ Protturn SLX1630, 2010, s/n 16P9710-113, 3 jaw chuck, qctp and holders, swing over bed 400mm, swing over cross slide 218mm, distance between centres 760mm, spindle bore 54mm, 2500rpm, 5.75kw. Control options – Features, Network, TRAKing	Call for Price

For more information on these products please call one of our experts on: **+44 (0)1444 245414** and quote the four digit product reference code.

4291 **Ajax AJSB200S CNC Lathe** Ajax AJSB200S CNC Lathe, 2012, s/n40789, Fanuc oit Mate-TD control, 290mm turning dia, 400mm dia swing, 400mm turning length, A2-6 spindle, 63mm bore capacity, 51mm bar feed capacity, Kitagawa B208 200mm hydraulic chuck, 7.5/11kw spindle, 3,500RPM, 12 station turret, tailstock, tool setting eye, swarf conveyor, parts catcher, Weight 3,750kgs Call for Price

4199 **XYZ XL1100 x 2M** XYZ XL1100 x 2M, 2007, s/n NC-A7-058C, Siemens 810D control, Swing over bed 1,100mm, Swing over cross slide 750mm, Distance between centres 2 metres, Spindle bore 160mm, Spindle motor 40hp, 20 to ,660rpm, c/w 4-way tool post, swarf conveyor, Footprint 4,930 x 2,300 x 2,200mm high, Weight 8,100kgs Call for Price

CNC VERTICAL MACHINING CENTRES (INC 5-AXIS M/C'S)

4307 **Haas VF2SS** Haas VF2SS, 2017, s/n 1135506, 4th Axis, table 914 x 356mm, trav 762 x 406 x 508mm, rapids 35m/min, bt40, 24atc, 12000rpm, 14.9kw, swarf auger. c/w Renishaw probe, Filtermist, programmable coolant nozzles, Manuals Call for Price

3640 **Haas Model VF-0 Vertical CNC Machining Centre** Haas Model VF-0 Vertical CNC Machining Centre, 2000, s/n 19776, table 660 x 356mm, trav 508 x 406 x 508mm, bt40, 20atc, 14.9kw, 7500rpm, Vice. Note No Swarf Auger Call for Price

3956 **Parpas 90HP/2000 CNC Ram Style Machining Centre** Parpas 90HP/2000 CNC Ram Style Machining Centre, 2002, s/n HP900022, rebuild, Siemens 840Dsl control, Travel X 2,055, Y1,026, Z1,245mm, B axis travel 370 degrees, 185 degree/-185 degree, Spindle speed 8,000rpm, 30 station ATC, 30KW motor power, Footprint 5,500 x 4,700mm Call for Price

4178 **XYZ UMC-5X** XYZ UMC-5X, 2018, s/n 172822052, Siemens 840DSL ShopMill Control, Travels X-600mm, Y-600mm, Z500mm, A-(tilt) +120 degrees/-120 degrees, C-360 degrees, Rapids XYZ 36m/min, C- 90RPM, A- 16,6 RPM, Table size 600mm dia, Table capacity 600kgs, 15,000RPM, 32 station ATC, Swarf Conveyor Call for Price

4159 **Haas VF0** Haas VF0, 1995, s/n4140, table 660 x 356mm, trav 508 x 406 x 508mm, bt40, 20atc, 7500rpm, 5.6kw (Sold as is with no guarantee for spares or repairs) Call for Price

4135 **Mazak FJV 250 Double Column Vertical High Precision Machining Centre** Mazak FJV 250 Double Column Vertical High Precision Machining Centre, 2002, s/n 529163007, (FJV2), Mazak 640M- PC Control, Table 1,200 x 500mm, Travels X-1,020mm, Y-510mm, Z-460mm, BT40, 30station ATC, 12,000RPM, Machine dimensions 4,600mm long, 3,200mm wide, 2,900mm tall, 6,700kgs Call for Price

For more information on these products please call one of our experts on: **+44 (0)1444 245414** and quote the four digit product reference code.

4201	XYZ 1020 VMC XYZ 1020 VMC, 2011, s/n SMU00079, Siemens 828D Control, Travels X-1020, Y-520, Z540mm, Table 1120 x 500mm, Spindle to centre of Column 570mm, Spindle to table 125-700mm, Rapid 20m/min, Block ways on all axes, Spindle speed 8,000rpm, 20hp motor, BT40 spindle Taper, 24 station ATC, 4th axis interface – No 4th axis unit, Footprint 2,650 x 2,150 x 3,000mm high.	Call for Price
4200	XYZ 2010 VMC XYZ 2010 VMC, 2014, s/n MB201011, Siemens 828D, trav, 2000 x 1000 x 900mm table 2200 x 1000mm, 30atc, 8000rpm, BT40, 30hp, c/w Swarf conveyor, weight 20 tons	Call for Price
4246	Haas VF6/50 Haas VF6/50, 2012, s/n 1091950, trav 1626 x 813 x 762mm, table size 1626 x 711mm, 7500rpm, bt50, 30atc, 22.4kw, through spindle coolant, swarf auger	Call for Price
4198	XYZ 1020 VMC XYZ 1020 VMC, 2014, s/n SMU00101, Siemens 828D Control, Travels X-1020, Y-520, Z540mm, Table 1120 x 500mm, Spindle to centre of Column 570mm, Spindle to table 125-700mm, Rapid 20m/min, Block ways on all axes, Spindle speed 8,000rpm, 20hp motor, BT40 spindle Taper, 24 station ATC, 4th axis interface – No 4th axis unit. Footprint 2,650 x 2,150 x 3,000mm high.	Call for Price
4131	Hurco VM1 Hurco VM1, 2008, s/n H-V12779, Max Control, table 762 x 356mm, trav 660 x 356 x 457mm, CAT40 Spindle, 8000rpm, 20atc. Software options: Ultipockets, rigid tapping, helical ramp, Select surface finish quality, Tool change optimization, Advanced verification Graphics, NC Productivity Package	Call for Price

CNC HORIZONTAL MACHINING CENTRES

4100	DMG Mori NHX4000 DMG Mori NHX4000, 2014, s/n NHX40140119, Control M730BM, Travels X-560mm, Y-560mm, Z-660mm, Pallet 400 x 400mm, Maximum workpiece swing 630mm dia, full 4th axis 0.001 degree, 12,000RPM spindle Speed, BT40 taper tooling, 60 station ATC, Through spindle coolant system interface, Coolant gun, 70 bar, 15/11kW, Coolant gun, In machine measuring system (table) touch sensor (metrol) + tool setter function, Manual pulse generator (sperate type)	Call for Price
4099	DMG Mori NHX 4000 DMG Mori NHX 4000, 2018, s/n NHX41180108, Celos M730BM Control, Travels X-560mm, Y-560mm, Z-660mm, Pallet 400 x 400mm, Maximum workpiece swing 630mm dia, full 4th axis 0.001 degree, 15,000RPM spindle Speed, BT40 taper tooling, 60 station ATC, Through spindle coolant system interface, Coolant gun, In machine measuring system (table) touch sensor (metrol) + tool setter function, High pressure 70 bar coolant unit, Knoll interface conversion to suit high pressure 70 bar coolant unit, Transformer	Call for Price

CNC GANTRY TRAVELLING BED AND BED MILLS

For more information on these products please call one of our experts on: **+44 (0)1444 245414** and quote the four digit product reference code.

3408 **XYZ VM3500 Bed Mill** XYZ VM3500 Bed Mill, Year 2005 s/n 10379, Prototrak VM CNC control, table 1372mm x 355mm, Trav 762 x 508 x 58mm, power drawbar 40int, Options – TBC Call for Price

4231 **XYZ SMX2500 Bed Mill** XYZ SMX2500 Bed Mill, 2018 s/n E01652, SMX Control, table 1245 x 228mm, trav 780 x 390 x 560mm, 3HP head, R8 spindle taper, c/w Table guards, power drawbar, Features – Network Call for Price

3401 **XYZ SMX3500 Bed Mill** XYZ SMX3500 Bed Mill, 2011 s/n 11367, Prototrak SMX3 CNC control, table 1372mm x 355mm, Trav 762 x 508 x 58mm, power drawbar 40int, Guards, Options – Advanced Features, Network, DXF Convertor Call for Price

CNC EDM SPARK AND WIRE MACHINES

CNC OTHERS

CNC GRINDERS

CNC SHEET METAL

4TH AXIS UNITS

BAR FEEDERS

4010 **Hydrafeed MX1B Multifeed Short Mag Feeder** Hydrafeed MX1B Multifeed Short Mag Feeder, s/n 4897, 1.0 metre bars, 3-80mm dia, overall length 1,800mm. Call for Price

4093 **Hydrafeed MX1B Multifeed Short Mag Bar Feeder** Hydrafeed MX1B Multifeed Short Mag Bar Feeder, s/n 6517, Max bar length 1.250 metre bars, Maximum stroke 1,300mm, 3-80mm dia, overall length 1,700mm, Magazine capacity 23 x 25mm dia or equivalent. Weight 415kgs, Height range 700 to 1,500mm. Software problem? (Fitted to a Mazak) Call for Price

For more information on these products please call one of our experts on: **+44 (0)1444 245414** and quote the four digit product reference code.

4226	Hydrafeed MX1B Multifeed Short Mag Bar Feeder Hydrafeed MX1B Multifeed Short Mag Bar Feeder s/n 6477, Max bar length 1.650 metre bars, Maximum stroke 1,700mm, 3-80mm dia, overall length 2,100mm, Magazine capacity 23 x 25mm dia or equivalent. Weight 415kgs, Height range 700 to 1,500mm.	Call for Price
-------------	--	----------------

CHUCKS, COLLET CHUCKS AND COLLETS

3972	Hainbuch Collet Chuck Hainbuch Collet Chuck, SPANNTOP nova Kombi Axfix 80, 2014, Quick change over. Reference A029451.0002C, no.2819037, Max 5500RPM	Call for Price
3977	Multibore collets Multibore collets, Type J. Ranging from 60 to 80MM	Call for Price
3971	Hainbuch Collet Chuck Hainbuch Collet Chuck, SPANNTOP nova Axfix Gr.65, 2014, Quick change over. Reference 234190 / no.2703/0007, Max 6000RPM	Call for Price
4322	Crawford D185E Spring Collet – Over 120 available – various sizes Crawford D185E Spring Collet – Over 120 available – various sizes (was known as 4291B60). To suit CDC-60 Crawford Collet Chuck or Klamp CRL60	Call for Price
3969	Hainbuch Collet Chuck Hainbuch Collet Chuck, SPANNTOP mini Axfix 52, 2021, Quick change over. Reference 715227 / 10000923 / No.10794/0022, Chuck Fitting A1-5, UNUSED	Call for Price
9761	Eclipse Magnetic chuck Magnetic chuck Eclipse Magnetic chuck, 250 x 130mm	£125
9762	Eclipse Magnetic chuck Eclipse Magnetic chuck, 250 x 125mm	£125

TOOL HOLDERS FOR CNC - STATIC AND DRIVEN

8706	Mazak Radial Driven Tool Holder Mazak Radial Driven Tool Holder, to suit Mazak Smart 350M, ER40, serial no. 5B088000601	£600
8704	Mazak Static Turning Tool Holder Mazak Static Turning Tool Holder, to suit Mazak Smart 350, 35mm max square, s/n 5B088002700	£200

For more information on these products please call one of our experts on: **+44 (0)1444 245414** and quote the four digit product reference code.

9527	<u>Doosan VTL1620M Tool Holder</u> Doosan VTL1620M tool holder, Long turning type, horizontally mounted.	£2,000
9518	<u>Mazak Tool Holder – 40VDI Axial</u> Mazak tool holder – 40VDI Axial V Type Offset Milling Holder, Unused	£1,800
3461	<u>HSK 40 tooling, various</u> HSK 40 tooling, various	Call for Price
8737	<u>Doosan Axial Driven Tool Holder</u> Doosan Axial Driven Tool Holder, to suit Doosan Puma 2000M or similar Doosan, ER25 collet, Eppinger, s/n296625-6, model no. R78685, 1:1 ratio, max 6,000rpm	£850
8727	<u>Doosan Axial Driven Tool Holder</u> To suit Doosan Puma MX2000 or similar Doosan, ER25 collet, Eppinger, s/n 300907-11, model no. R78691A, 1:1, max 4,000rpm	£950
9186	<u>Doosan Driven Tool Holder – Axial</u> Suitable for Puma 2000SY or similar	£850
8703	<u>Mazak Radial Driven Tool Holder</u> Mazak Radial Driven Tool Holder, to suit Mazak Smart 350M, ER40, serial no. 5B088000601	£600
8723	<u>Double Ended Axial Driven Tool Holder</u> Double Ended Axial Driven Tool Holder, ER32, To suit Kia SKT250MS or Similar.Part no.60.6532D1809DW02, s/n 06207340	£850
3536	<u>Doosan driven tool holder – Radial</u> Doosan driven tool holder – Radial, suitable for Doosan CNC Lathes, BMT65 Size	£550
8726	<u>Okuma Axial Driven Tool Holder</u> Okuma Axial Driven Tool Holder, to Suit Okuma LT15M CNC Lathe, ER12 collets. Eppinger 9.608.088, s/n 192477-2 1:2, 8,000rpm. VDI 40	Call for Price
8740	<u>Doosan Axial Driven Tool Holder</u> Doosan Axial Driven Tool Holder, to suit Doosan Puma 2000M or similar Doosan, ER25 collet, Eppinger Preci-flex,, s/n409939-R1, ref no. 7.071.940, 1:1 ratio, max 6,000rpm. Bearing needs replacing	£850
8732	<u>Okuma Axial Driven Tool Holder</u> Okuma Axial Driven Tool Holder, to Suit Okuma LT15M CNC Lathe, ER32 collets. Eppinger 9.655.088, s/n 180929-1 1:1, 5,000rpm, VDI 40	Call for Price
8705	<u>Mazak Static Boring Bar Holder</u> Mazak Static Boring Bar Holder, to suit Mazak Smart 350, 50mm bore	£300

For more information on these products please call one of our experts on: **+44 (0)1444 245414** and quote the four digit product reference code.

8714	<u>Mimatic VDI 40 Axial Driven tool Holder</u> Mimatic VDI 40 Axial Driven tool Holder, ER32 collets, prod no. 05.1311.7340.505, serial no. 50314, max 5,200rpm	£900
8708	<u>Mimatic VDI 40 Axial Driven Tool Holder</u> Mimatic VDI 40 Axial Driven Tool Holder, ER25 collets, prod no. 05.1312.7340.504, serial no. 51085, max 6,500rpm	£900
8733	<u>Eppinger Axial Driven Tool Holder</u> Eppinger Axial Driven Tool Holder, ER32, To suit Kia SKT250MS or Similar. Part no. 7.071.760, s/n 271917-10, ratio 1:1, 4,000rpm	£950
8702	<u>Mazak Radial Driven Tool Holder</u> Mazak Radial Driven Tool Holder, 2015, to suit Mazak Smart 350M, ER40, serial no. 9828	£600
9086	<u>Tornos CT20 Tooling</u> Driven tool holders £425, Static collet chuck £150, Tool blocks £100	£425
8728	<u>Okuma Axial Driven Tool Holder</u> Okuma Axial Driven Tool Holder, to Suit Okuma LT15M CNC Lathe, ER12 collets. Eppinger 9.608.088, s/n 180926-7 1:2, 8,000rpm, VDI 40	Call for Price
8735	<u>Okuma Axial Driven Tool Holder</u> Okuma Axial Driven Tool Holder, to Suit Okuma LT15M CNC Lathe, ER12 collets. Eppinger 9.609. 88, s/n 180928-? 1:2 ratio, 8,000rpm. VDI 40	Call for Price
9526	<u>Doosan VTL1620M Tool Holder</u> Doosan VTL1620M tool holder, long double ended internal turning holder type, ONE WEDGE MISSING.	£2,000
8713	<u>Mazak Axial Driven Tool Holder</u> Mazak Axial Driven Tool Holder, VDI40, ER20, to suit Mazak SQT250MS or similar Mazak.	£650
9187	<u>Doosan Driven Tool Holder – Axial</u> Suitable for Puma 2000SY or similar	£850
8718	<u>Axial Driven Tool Holder</u> Axial Driven Tool Holder, VDI40, ER32 collet chuck, s/n 59-0085, model BR1805-2. Unknown lathe	£450
9525	<u>Doosan VTL1620M Tool Holder</u> Doosan VTL1620M tool holder, Short double sided turning type	£2,000
8725	<u>Double Ended Axial Driven Tool Holder</u> Double Ended Axial Driven Tool Holder, ER32, To suit Kia SKT250MS or Similar. Part no.60.6532D1809DW02, s/n 06207339	£850

For more information on these products please call one of our experts on: **+44 (0)1444 245414** and quote the four digit product reference code.

8741	<u>Doosan Axial Driven Tool Holder</u> Doosan Axial Driven Tool Holder, to suit Doosan Puma 2000M or similar Doosan, ER25 collet, Eppinger Preci-flex,, s/n293992-12, ref no.R78684A, 1:1 ratio, max 6,000rpm. Bearing needs replacing	£850
9188	<u>Doosan Driven Tool Holder – Axial</u> Suitable for Puma 2000SY or similar	£850
8084	<u>Nikken HSK100A</u> Precision chuck backend – UNUSED	£40
8083	<u>Showa HSK100A</u> shrink fit backend – UNUSED	£40

TOOL HOLDER FOR MANUAL MACHINES

TOOL SETTERS

RENISHAW

9650	<u>Renishaw Styli Probe: A-5003-6510</u> Renishaw Styli Probe: A-5003-6510 , M4 Ø6 mm ruby ball, carbon fibre stem, L 100 mm, EWL 88.5 mm	£55
9651	<u>Renishaw Styli Probe: A-5000-7795</u> Renishaw Styli Probe: A-5000-7795, M4 Ø8 mm ruby ball, ceramic stem, L 50 mm, EWL 50 mm	£35

SWARF CONVEYORS AND BINS

4150	<u>LNS Swarf Tipping Bin</u> LNS Swarf Tipping Bin, Dimensions – Width 490mm, depth 1,070mm, height 1,000mm, Base dimension 740 x 1,000mm, complete with – Drain plug, tipping, wheels, forklift slots	Call for Price
3142	<u>Cromar Swarf Conveyor</u> Cromar Swarf Conveyor, For Cast Iron, 2015, s/n M450001A, Overall dimensions 3,700mm x 1,060mm x 1,700mm high, Drop to floor 1,200mm, Tray opening 2,600mm long x 400mm wide.	Call for Price

For more information on these products please call one of our experts on: **+44 (0)1444 245414** and quote the four digit product reference code.

3671	Fongex Swarf Conveyor, UNUSED Fongex Swarf Conveyor, UNUSED, Overall dimensions 3,300mm x 440mm x 1,520mm high, Drop to floor 1,000mm, Tray opening 1,740mm long x 265mm wide – conveyor opening 160mm	Call for Price
4147	LNS Swarf Tipping Bin LNS Swarf Tipping Bin, Dimensions – Width 820mm, depth 1,200mm, height 840mm, complete with – Drain plug, tipping, wheels, forklift slots	Call for Price
4148	LNS Swarf Tipping Bin LNS Swarf Tipping Bin, Dimensions – Width 820mm, depth 1,170mm, height 840mm, complete with – Drain plug, tipping, wheels, forklift slots	Call for Price
4149	Swarf Tipping Bin Swarf Tipping Bin, Dimensions – Width 500mm, depth 1,000mm, height 800mm, Base dimension 770 x 800mm, complete with – Drain plug, tipping, wheels, forklift slots	Call for Price
4154	Swarf Conveyor Swarf Conveyor, Overall dimensions 3,100mm x 380mm x 1,340mm high, Drop to floor 760mm, Tray opening 1,810mm long x 200mm wide. (From XYZ VMC800)	Call for Price

GRINDING ACCESSORIES INCL MAG CHUCKS

6520	Selter Close Pole Magnetic Chuck Unused, 450 x 250mm	£300
-------------	---	------

LATHES, MILLS, BORERS, DRILLS, TAPPERS, GRINDERS, GEAR MACHINES, LAPPERS, HONING, EDM

4222	Chester Challenger Gap Bed Lathe Chester Challenger Gap Bed Lathe, 2009, s/n 096213, centre height 200mm, between centres 1,000mm, Swing over bed 400mm, Swing over cross slide 260mm, Swing in gap 560mm, spindle bore 51mm, 45-1,800rpm, Tailstock, dual dials, complete with QCTP & holders, 3-jaw chuck, faceplate, fixed steady, travelling steady, light, coolant, 2-axis DRO	Call for Price
3693	XYZ Edge CNC Turret Mill XYZ Edge CNC Turret Mill, 2007, s/n 0507038, ProtoTRAK Edge Control, table size 1270 x 254mm, trav 762 x 406 x 406mm, quill travel 127mm, R8 taper	Call for Price
4203	Harrison M300 x 25" Gap Bed Lathe Harrison M300 x 25" Gap Bed Lathe, 1995, s/n 302293, Centre height 167mm, between centres 635mm, Swing over bed 330mm, over cross slide 210mm 38mm dia spindle bore, Speed range 40 to 2,500rpm, 2.2kw motor, Tailstock, metric dials, 3 jaw chuck, qctp & holders. Thread dial indicator, Mitutoyo DRO. Weight 760kgs. Ex University Laboratory	Call for Price

For more information on these products please call one of our experts on: **+44 (0)1444 245414** and quote the four digit product reference code.

4304	Bridgeport BR2J2 Turret Mill Bridgeport BR2J2 Turret Mill, 1993, Ser No 500420293, Table (42") 1065 x 230 mm, trav 675 x 305 x 127mm, Chrome slides, R8 taper, Power Feed Long, Quill feed, Coolant, Heidenhain DRO, Light, Drip tray	Call for Price
3879	Myford Super 7B Lathe on Cabinet Myford Super 7B Lathe on Cabinet, s/n SK120369, single phase, imperial dials, 4 way toolpost, rear toolpost, 3 & 4 jaw chucks, faceplates. Like New	Call for Price
4328	Christen Drill Grinder Christen Drill Grinder, Model 05-10, 1989, s/n7156, Single phase, c/w light. Please note no collet holder	Call for Price
3451	XYZ Pro 2000 XYZ Pro 2000, Prototrak AGE 2 CNC control, year 1999, s/n9026, (KR-V2000), 1270mm x 254mm table, trav 762 x 406mm x 127mm, power drawbar 30 taper spindle, 4" riser block	Call for Price

PRESSES, SAWS, SHEET METAL, WELDING, FINISHING, WOODWORKING

4298	Startrite 30RWF 30? Rapier Vertical Bandsaw Startrite 30RWF 30" Rapier Vertical Bandsaw, s/n 92460, Throat 760mm, Height under Guide 250mm, Table 530 x 530mm, Blade Welder & Grinder. 4-way tilt sliding Table, Speeds 50 to 3,000 ft/min, 1 1/2hp motor	Call for Price
3847	Mebusa 40-20 Hydraulic Upstroke Pressbrake Mebusa 40-20 hydraulic upstroke pressbrake, capacity 40tons, bed length 2000mm, distance between uprights 1690mm, throat 200mm, stroke 100mm, motor 5.5hp, weight approx. 2500kg, Hurco 5C twin axis control, rear guard, Hurco manuals. (No tooling included).	Call for Price
4296	Carif Power Hacksaw Carif Power Hacksaw, Model 240N, s/n 21123, 240mm dia capacity, 400mm blades, hydraulic feed	Call for Price
4044	Welding Curtain Welding Curtain, 2,000mm wide x 1,930mm tall	Call for Price
3323	Swager. Manually operated Swager. Manually operated	Call for Price
4240	Kasto HBA 360AU Automatic Horizontal Bandsaw Kasto HBA 360AU Automatic Horizontal Bandsaw, 1995, Ser no 6016 109 084 , capacity round 360mm, square 360 x 360mm, smallest cut off length 6mm, minimum cutting dia 10mm, sawblade speed inf variable 20 -130 m/min, roller feed, manuals	Call for Price

For more information on these products please call one of our experts on: **+44 (0)1444 245414** and quote the four digit product reference code.

4022	<u>Vixen Aqua Wheelblast Cabinet</u> Vixen Aqua Wheelblast Cabinet, 2021, s/n AB1215211021, Internal spigot for easy handling of wheels, high pressure pump, dust free, compact, Includes blow off gun, preps wheels in less than 3 minutes, Wheels ready for recoating with paint when finished, Dimensions – 1,215mm wide, 1,050mm deep, 873mm high	Call for Price
4229	<u>Eco-400 Gemini Cleaning Unit</u> Eco-400 Gemini Cleaning Unit, s/n 532-08-18, 2018, Used for the washing of small parts, typically from 3D printing process, capacity 490 x 390 x 200mm, single phase	Call for Price
3848	<u>Mebusa 30-12 Hydraulic Upstroke Pressbrake</u> Mebusa 30-12 hydraulic upstroke pressbrake, capacity 30tons, bed length 1200mm, distance between uprights 1020mm, throat 200mm, stroke 100mm, motor 4hp, weight approx. 1500kg, Hurco 5C twin axis control, rear guard, Hurco manuals. (No tooling Included).	Call for Price

COMPRESSORS

4066	<u>HPC ASK32 Compressor</u> HPC ASK32 Compressor, Sigma, 2011, s/n 1935, 113cfm, 8 bar pressure. On Hours 32103, Load Hours 22926	Call for Price
4027	<u>HPC Kaeser SM12 Air Centre Compressor</u> HPC Kaeser SM12 Air Centre Compressor, 2008, s/n 1364, 42cfm, Receiver mounted, built in air dryer	Call for Price

INSPECTION

4348	<u>Mitutoyo MM-11 Inspection Microscope</u> Mitutoyo MM-11 Inspection Microscope, s/n a11233, 10x lens, 2 axis dro	Call for Price
4146	<u>Surface Flatness Co. Granite Inspection Table 3ft x 2ft x 37? tall</u> Surface Flatness Co. Granite Inspection Table 3ft x 2ft x 37" tall	Call for Price
3673	<u>Granite Table 900 x 600mm, on stand</u> Granite Table 900 x 600mm, on stand	Call for Price
4080	<u>Granite Inspection Block</u> Granite Inspection Block, 300 x 300 x 300mm	Call for Price

GENERAL, JIB ARM CRANES, PALLET TRUCKS

For more information on these products please call one of our experts on: **+44 (0)1444 245414** and quote the four digit product reference code.

3085	<u>Met Rack 125kg Jib Arm Crane</u> Met Rack 125kg Jib Arm Crane, Unused, 2014	Call for Price
3237	<u>Granite Table, 3ft x 4ft on stand</u> Granite Table, 3ft x 4ft on stand. For general use, not calibrated	£650
3308	<u>Granite Surface Table</u> Granite Surface table mounted on a cabinet. 600 x 1,200 x 200mm thick	£650
4115	<u>Flypress Norton 6DB</u> Flypress Norton 6DB, depththroat, throat 300mm, height under ram 225mm, on metal stand.	Call for Price
4280	<u>Logitrans Electric Stacker</u> Logitrans Electric Stacker, Model Selfs Mini 1002, 2013, s/n 134E24112066, Capacity 1,000kgs, Lift height 890mm, Load centre 575mm, Motor 700W, Hydraulic motor 1,200W, Battery 24V, Battery weight 130kgs, Overall weight 314kgs	Call for Price
4026	<u>Freddy Tramp Oil Skimmer</u> Freddy Tramp Oil Skimmer, 2011, s/n 11/004/6541, Capacity 70 litres, Length 800mm, Width 516mm, Height 1,185mm, weight empty 73kgs, weight full 143kgs, 240V model, Removes tramp oils from coolant, Runs continually, Various filters available	Call for Price

For more information on these products please call one of our experts on: **+44 (0)1444 245414** and quote the four digit product reference code.